

1

2 Kg Atta mixing



Body



: S.S.

Rotor

: S.S.

Bowl

: S.S. 304

Gear Cover

: S.S.

Gear Box

: Yes

L x B x H

: 15 x 13 x 18 Inch

Bowel Size

: 9.5 x 6.5 Inch (One Piece)

Weight

: 16 Kg.

Atta making speed**4 minutes**

Ele. Motor

: 0.25 HP Copper winding

Motor RPM

: 1440

RPM Speed

: 76

2

5 kg Atta mixing



Body	: M.S.
Rotor	: S.S.
Bowl	: S.S. 304
Gear Cover	: S.S.
Color	: Powder Coating White
Gear Box	: Yes
L x B x H	: 26 x 15 x 23 Inch
Bowel Size	: 15 x 9.1Inch (One Piece)
Weight	: 43 Kg.
Ele. Motor	: 0.5 HP copper winding
Motor RPM	: 1440
RPM Speed	: 76
Atta Making Speed	: 4 Min.

3

Flour mixing



Body : M.S.

Rotor / Bowl : S.S.

Gear Cover : S.S.

Gear Box : Yes

Need Patti : S.S.

Gear : Crown Premium

Atta mixing speed : 5-7 min.

Motor RPM : 1440 copper winding

RPM Speed : 45

Modal-->	10 Kg.	15 Kg.	20 Kg.	25 Kg.	30 Kg.
L x B x H :	39x21x33	41x23x35	41x24x39	47x25x40	47x26x40
Bowl Size :	18x13	20.5x13	22x15	24x15	25.5x15
Weight :	100 Kg.	110 Kg.	119 Kg.	125 Kg.	130 Kg.
Motor :	1 HP	1 HP	2 HP	1.5 HP	2 HP

4

Flour mixing



Body	: M.S.	
Rotor / Bowl	: S.S.	
Gear Cover	: S.S.	
Gear Box	: Yes	
Need Patti	: S.S.	
Gear	: Crown Premium	
	:	
Motor RPM	: 1440	copper winding
RPM Speed	: 40	
Model --->	40 Kg.	50 Kg.
L x B x H	: 50x25x38	50x27x39
Bowl Size	: 27.5x18	28x19
Weight	: 175 Kg.	185 Kg.
Ele. Motor	: 3 HP	3 HP
Atta Making Speed	: 8 Min	8 Min

5

Mali machine



Body	:	S.S.
------	---	------

Bowl	:	S.S. 304
------	---	----------

Gear Cover	:	S.S.
------------	---	------

Gear Box	:	Yes
----------	---	-----

Need Patti	:	S.S.
------------	---	------

Gear	:	Crown Premium
------	---	---------------

Atta mixing speed	:	5 min.
-------------------	---	--------

Motor RPM	:	1440	Copper winding
-----------	---	------	----------------

RPM Speed	:	45
-----------	---	----



Modal	Size (Inch)	Weight	Motor
-------	-------------	--------	-------

5 Kg.	: 25x18x35	85 Kg.	0.5 HP
-------	------------	--------	--------

10 Kg.	: 23x21x46	93 Kg.	1 HP
--------	------------	--------	------

15 Kg.	: 27x21x46	110 Kg.	1 HP
--------	------------	---------	------

20 Kg.	: 35x25x46	110 Kg.	1.5 HP
--------	------------	---------	--------

30 Kg.	: 40x30x46	115 Kg.	2 HP
--------	------------	---------	------

50 Kg.	: 45x35x52	130 Kg.	3 HP
--------	------------	---------	------

6

Besan mixing



Body	S.S. Stainless Steel
Bowl	: S.S. 304
Gear Cover	: S.S.
Gear Box	: Yes
Need Patti	: S.S.
Gear	: Crown Premium
Atta mixing speed	: 5 min.
Motor RPM	: 1440 Copper winding
RPM Speed	: 45

Modal	Size (Inch)	Weight	Motor
5 Kg.	: 25x18x37	87 Kg.	0.5 HP
10 Kg.	: 23x21x46	96 Kg.	1 HP
15 Kg.	: 27x21x46	105 Kg.	1 HP
20 Kg.	: 35x25x46	117 Kg.	1.5 HP
30 Kg.	: 40x30x47	121 Kg.	2 HP
50 Kg.	: 45x35x54	136 Kg.	3 HP

7

Spiral semi auto



Body  : M.S.

Bowl : S.S. 304

Bowl / Top Cover : S.S.

Need Patti / Spiral : S.S. 304

Double Speed : Slow / Fast

Motor up-Down : 2 nos. copper winding

Rotor RPM : 720 / 1440 (Top Motor)

Bowl RPM : 960 (Bottom Motor)

Modal ----> **20 Kg.** **40 Kg.** **80 Kg.**

L x B x H : 42x22x33 46x22x42 48x22x46

Bowl L x B x H : 22x12 23.5x15 27.5x19

Weight : 265 Kg. 370 Kg. 405 Kg.

Motor - Up : 3 HP 5 HP 7 HP

Motor - Down : 1 HP 1.5 HP 2 HP

Making Speed : 10 Min 10 Min 10 Min

8

Spiral fully auto



Body : M.S.

Bowl : S.S. 304

Bowl / Top Cover : S.S.

Need Patti / Spiral : S.S. 304

Double Speed : Slow / Fast

Motor (up-Down) : 2 nos. copper winding

Rotor RPM : 720 / 1440 (Top Motor)

Bowl RPM : 960 (Bottom Motor)

Modal --->	20 Kg.	40 Kg.	80 Kg.
L x B x H	: 42x22x33	46x22x42	48x22x46
Bowl L x B x H	: 22x12	23.5x15	27.5x19
Weight	: 285 Kg.	390 Kg.	425 Kg.
Motor - Up	: 3 HP	5 HP	7 HP
Motor - Down	: 1 HP	1.5 HP	2 HP
Making Speed	: 10 Min	10 Min	10 Min

9

Cake planetary



Body

: M.S.

Bowl

: S.S. 304

Motor RPM

: 1440

Rotor Speed

: Low - Medium - High

LTR.**L x B x H****Weight****Motor****05**

15x11x18

17 Kg.

0.25 HP

10

17x13x24

45 Kg.

0.5 HP

20

21x16x31

61 Kg.

1.0 HP

30

22x19x35

72 Kg.

1.5 HP

10

U-type atta mixing



Full Body	: S.S. 304
Rotor	: S.S. 304
Motor RPM	: 1440 copper winding
Gear	: Crown prem.



Modal	Drum Capacity	LxBxH	Motor	Weight
1 Feet	2 to 4 kg	31×25×26	0.5HP	48kg
1.5 Feet	4 to 8 kg	31×26×27	1 HP	58kg
2 Feet	10 to 30 kg	56×26×42	1.50HP	194 kg
3 Feet	15 to 60 kg	68×26×42	2 HP	211kg
5 Feet	25 to 90 kg	93×26×42	3 HP	372kg

11

Khichiya machine



Body	: S.S.stainless
Bowl	: S.S. 304
Gear Cover	: S.S.
Gear Box	: Yes (own brand)
Need Patti	: S.S.
Gear	: Crown Premium
Gas Burner	: Round
Motor RPM	: 1440 Copper winding
RPM Speed	: 45
Atta Making Speed	: 5 Min.

Modal	Dimension	Weight	Motor
5 Kg.	: 25x18x37	97 Kg.	0.5 HP
10 Kg.	: 29x20x46	105 Kg.	1 HP
15 Kg.	: 32x20x46	115 Kg.	1 HP
20 Kg.	: 35x25x46	127 Kg.	1.5 HP
30 Kg.	: 40x30x47	135 Kg.	2 HP
50 Kg.	: 45x35x55	150 Kg.	3 HP

12

Valona machine



Body

S.S.

Motor RPM

1440

Motor Company

: Flipcon (Own Brand)

copper winding

LTR.	L x B x H	Weight	Motor
10		03 Kg.	50 Hz
30	5x5x25	05 Kg.	80 Hz
40	5x5x26	06 Kg.	0.25 HP
60	6.5x6.5x33	07 Kg.	0.5 HP
80	5x5x35	08 Kg.	0.5 HP
100 (R)	8x8x37	22 Kg.	0.5 HP
100 (H)	8x8x37	25 Kg.	0.5 HP
200 (R)	9x9x49	25 Kg.	1 HP
200 (H)	9x9x49	30 Kg.	1 HP
500 SP. & TP.	10x10x68	48 49kg	2HP

13

Shrikhand Making



Modal	HP.	LxWxH	Weight	Bowl.size
30kg.	1.5hp	44x22x47	45kg.	19x10
40kg.	1.5hp	45x23x47	50kg.	21x11
50kg.	2hp	49x26x48	85kg.	15x12

Copper winding

14

Maska machine



Modal --->	: S.S. body	: ms / Ss body
Rotor	: S.S. 304	:
Motor	: 1.5 HP	: 1 Hp (1440 Rpm)
Size	: 25x20x39	: 44x22x47
Weight	: 60 Kg.	: 90 kg
Capacity P/H	: 100-200 kg	: 150-200 kg

15

Laddu machine



Body : S.S machine : Ms.Compression

Motor 1440 : 1.5HP : 0.5 HP

Size in : 59×26×43 : 40×15×30

Weight : 160kg : 56kg

Adjustable : :

Capacity Hr. : 1200 to 1500 :

16

Gulab Jamun Ball



Body : steelnes steel

Motor : 1HP. copper winding

Size : L71×W32×H54

Weight : 200kg

capacity : 4000 piece P/h

Ball size : Adjustable 5gm to 60gm

17

Musti machine



Body	: C.I.
Bowl	: S.S. 304
Gear Cover	: S.S.
Gear Box	: STANDARD
Gear	: Verum Gear
L x B x H	: 39 x 34 x 47 Inch
Bowel Size	: 28 x 8 (One Pis) 10-15 Kg.
Weight	: 170 Kg.
Ele. Motor	: 2HP. copper winding
Customize	: With gas Burner
Motor RPM	: 1440
RPM Speed	: 60
Making Speed	: 15 Min.

18

Mava Khoya



Body

Bowl



: S.S. 304

Rpm speed

: 250

Motor RPM

: 1440



copper winding

Plate --->	15mm	18mm	22mm	
Regular	55 Ltr.	110 Ltr.	200 Ltr.	300 Ltr.

Size	: 47x26x32	50x27x39	55x38x40	59x43x45
------	------------	----------	----------	----------

Motor	: 0.5 HP	1 HP	1.5 HP	2 HP
-------	----------	------	--------	------

Wt.	: 135 Kg.	210 Kg.	300 Kg.	360 Kg.
-----	-----------	---------	---------	---------

Tilting	55 Ltr.	110 Ltr.	200 Ltr.	300 Ltr.
----------------	----------------	-----------------	-----------------	-----------------

Size	: 52x26x56	57x32x60	65x38x52	69x43x58
------	------------	----------	----------	----------

Motor	: 0.5 HP	1 HP	1.5 HP	2 HP
-------	----------	------	--------	------

Wt.	: 160 Kg.	235 Kg.	360 Kg.	430 Kg.
-----	-----------	---------	---------	---------

19

Halva Machine



Full, Ss body : Ss 202

Bowl thickness : S.S. 304 / 5-6 mm

Gear Box : Standard make (worm gear)

Gas burner : 1 nos.

Motor RPM : 1440 copper winding

RPM Speed : 50

Making speed : 15 minutes

Modal---> 2feet 3feet 4feet 5feet

Size (R) : 48x30x43 56x38x45 68x50x49 88x62x49

Motor (R) : 0.5 HP 1 HP 1.5 HP 2 HP

Wt. (R) : 200 Kg. 250 Kg. 300 Kg. 350 Kg.

Bowl Cap. : 20-25 Kg. 30-35 Kg. 50-60 Kg. 70-80 Kg.

20

Mango pulp



Body : S.S. stainless Steel

Rotor : S.S.

Motor Speed : 1440

RPM Speed : 220

Motor : Flipcon

All model 1-3 phase available

Modal	L x B x H	Weight	Motor
50 kg	33x19x42	56 Kg.	1.0 HP
200 kg	41x20x42	90 Kg.	1.5 HP
400 kg	53x24x42	115 Kg.	2.0 HP
1000 kg	63x27x42	170 Kg.	3.0 HP

21

Orange juicer



Regular



Body : S.S.
Rotor : S.S.

copper winding motor

Modal --->	Hand	Regular	2 in 1
Body	: Aluminum	Aluminum	Aluminum
Rotor	: -	S.S.	S.S.
Motor	: -	0.5 HP	0.5 HP
Size	: 8x6x21	10x18x22	12x19x20
Weight	: 4 Kg.	19 Kg.	22 Kg.
Capacity	: -	80 to 100 Glass / Hr.	80 to 100 Glass / Hr.

22

Carrot juicer



Body : Aluminum

Filter : S.S.

Motor RPM : 2880 copper winding

Model	L x B x H	Weight	Motor
2 Glass	10x10x15	10 Kg.	0.25 HP
4 Glass	11x13x16	14 Kg.	0.50 HP
6 Glass	13x13x19	22 Kg.	0.75 HP

23

Sugarcane juicer



1HP.



1.5HP.



Body : Stainless Steel

Roller 3nos. : SS. 304 (Diamond)

Roller size : Thick 54mm Long 110mm

Motor : Yes, 100% copper winding

Size : LxWxH 24x9x21

Weight : 69kg / 85kg

Capacity : 250-300 Glass P/H.

Single time crusher

24

Sugarcane machine



Engine type
(with Motor)



(Engine Type)



Body - SS.

Motor - 1.5HP.

Weight - 70kg.

Size LxWxH 31x18x44

Capacity 200-250 Glass
(per hour)

Body SS

Weight

Size LxWxH 33x18x44

Capacity 200-250 Glass
(Per Hour)

25

Sugarcane Battery Operated



Body Stainles Steel

Roller 3nos	: SS 304 (Dimond)
Roller size	: Thick 54mm Long 110mm
Motor Dc	: 24 voltage / 400 watt
Battery 2 nos.	: 12 volt / 90 Amp.
Battery Capacity	: 4-6 Hour
Size / Weight	: LxWxH 24x9x21 / 68kg
Capacity	: 200-300 Glass P/H

Single time Crusher

26

Sugarcane cleaning



Body : SS. stainless Steel

Size : L16 x w17 x H37

Motor : 1HP (1440RPM)

Weight : 67kg

Capacity : 150-175 kg p/h.

Thickness size : Adjustable

27

Sugarcane juicer chiller system



Automation Grade Automatic

Material	• SS. 304
Rollor	• 3 SS.304
Voltage	• 230
Size	• L32 × W24 × H46
Weight	• 115Kg.
Max. power	• 5 AMP.
Comparison	• 1.75 kcal
Juicer tank	•
Capacity P/H.	• 300-400 Glass H/R

28

Samosa Patti



- Roller size : OD 98mm x L240mm
- Thickness : Adjustable **Available**
- Motor 1phase : 0.25 HP. Copper winding
- Size LxWxH : 11x22x18
- Weight : 34Kg.

29

Samosa machine



Body : SS.

Bowl Capacity : 1 to 1.5 kg

Adjustable : 30 To 45 Gm

Motor : 2HP. single phase

Size : L27 x W12 x H32

Weight : 96kg.

Capacity P/H. : 2500 to 3000 nos.

Example -> Atta 400gm Masala 600gm=1 kg

30

Semi Auto manual



- | | |
|---------------|------------------------|
| Body | : SS. Stainless Steel |
| motor | : 1 HP. Copper winding |
| Gear | : Verum |
| Capacity P/H. | : 20 to 30 kg. |

31

Puri/Pani puri machine



- Body** : stainless Steel
- Motor** : 0.50 HP Copper winding
- Size** : L55×W39×H23
- Weight** : 110 kg
- Capacity P/H.** : 5000 peice
- Thickness** : Adjustable

32

Manchurian/Bhajiya



Size : L47x H38 W45

Weight : 24 kg.

**Capacity : 18mm.22mm.19 nos.
25mm. 17nos.**

Body: Full Stainless Steel

33

Automatic Ball Manchurian & Bhajiya



- Body : SS.
- Motor : 0.5HP.
- Size : L38 × W22 × H40
- weight : 79 kg.
- Gear Box : Standard
- Capacity P/H. : 1400 to 1500 Ball

34

Potato peeler



Body	: S.S.	Steelnes steel
Motor RPM	: 1440	Copper winding
RPM Speed	: 400	

Modal	L x B x H	Weight	Motor	Capacity/Hrs.
5 kg	22x14x16	38 Kg.	0.75 HP	150-200
10kg	24x16x32	48 Kg.	1 HP	300-500
15kg	29x18x36	67 Kg.	1 HP	550-700
20 kg	29x18x40	71 Kg.	1.5 HP	700-900
30 kg	34x21x43	97 Kg.	2 HP	1000-1200
50 kg	37x27x45	120 Kg.	3 HP	1500-1800

35

Potato finger



C.I. BODY HAND MODEL

L x B x H : 14x10x29

Weight : 14 Kg.

Blade : S.S.

Die Size : 7mm / 10mm

Motor : -

Any one Dai will come with the machine

Auto S.S. BODY WITH MOTOR

L x B x H : 23x12x19

Weight : 40 Kg.

Blade : S.S.

Die Size : 7mm / 10mm

Motor : 0.5 HP Copper winding

36

Potato slicer



Body	: S.S. Stainless Steel
L x B x H	: 19 x 13 x 26 Inch
Die Dimension	: 6.3 x 4.9 Inch
Die	: 3 (Lachha, Line, Plain)
Blade Dimension	: 4.5 Inch
Weight	: 43 Kg.
Ele. Motor	: 1 HP Copper Winding
Motor RPM	: 1440
RPM Speed	: 960
Capacity	: 250 Kg. to 350 Kg. / Hrs

37

Banana slicer



REGULAR / SPEED CONTROL

Body	: S.S.
Die Dimension	: 7 x 4.5 Inch
Die	: 3 (Round, Capsule, Belt)
Blade Dimension	: 4.5 Inch
Ele. Motor	: 1 HP copper winding
Die Adjustable	: 1mm. To 6mm.
RPM Speed	: 960

P/H

Model	L x B x H	Weight	Capacity
Regular	35x13x25	40 Kg.	250-300 Kg.
Speed Control	42x13x34	55 Kg.	300-350 Kg.

38

2in1 slicer potato Banana

2 in 1
System



Body	: S.S. Stainless Steel
Size	: 36×14×25
Die Cutting	: 3 (Round, Oval, Belt)
Blade Dimension	: 4.5 in
Ele. Motor	: 1 HP SP. Copper winding
Capacity	: 200–250 kg. P/H.
RPM Speed	: 960
Ampere	: 3.9 Amp.
Weight	: 60 kg.

Total 6Die :- potato 3 / Banana 3

39**Namkeen coating pan**

Body

Drum : S.S. 304

Gear : Verum

Motor RPM : 1440 Copper winding

Gear : Crown prem.

RPM Speed : 45

Modal	Drum Capacity	LxBxH	Motor	Weight
S-16x20	1-7kg	30x26x52	0.75Hp	77kg.
M-18x26	15-20kg	30x32x29	1 hp	80kg.
L	20-30kg	51x49x56	1 hp	153kg.
R-32x30	25-40kg	37x23x33	1.5hp	178kg.

40

Fafda machine



Regular



Jumbo



Regular modal

Body : S.S.

L x B x H : 14x9x16 Inch

Weight : 21 Kg.

Motor : 0.25 HP

Roll : Teflon

Jumbo modal

Body : S.S.

L x B x H : 20x10x21 Inch

Weight : 40 Kg.

Motor : 0.5 HP

Roll : Teflon

Thickness adjustable available

41

Nylon sev machine



Jali Zali size 5inch : 20-Nos

Body : S.S.

Gear Box : Hydraulic (Own Brand)

L x B x H : 82 x 20 x 72 Inch

Weight : 130 Kg.

CAPACITY : 50-60Kg p/h


Ele. Motor : 1.5 HP Copper winding

Motor RPM : 1440

RPM Speed : 20

42

Namkeen machine



Drum / Rotor Body : S.S.
 Jali Galvanized : 10 nos.
 Motor Company : Flipcon



Modal---->	7 Inch	9 Inch	10.5 Inch
Drum Dimension :	7 Inch	9 Inch	10.5 Inch
Jali Dimension :	7 Inch	9 Inch	10.5 Inch
L x B x H :	40x11x38	45x14x38	61x16x40
Weight :	55 Kg.	80 Kg.	139 kg.
Ele. Motor :	0.5 HP	1 HP	2 HP
Motor RPM :	1440	1440	1440
RPM Speed :	250	250	250
Capacity P/H :	60-70kg	100-150kg	250-300kg

43

Dryer machine



10kg.Regular



Tilting type 15,30,50



Filter : S.S. 304

Motor RPM : 1440

Copper winding



REGULAR

Kg.	L x B x H	Weight	Motor	Bowl size
10	35x21x30	71 Kg.	1 HP	10x14

TILTING TYPE

Kg.	L x B x H	Weight	Motor	Drum size
15	28x25x35	84 Kg.	1 HP	10x14.5
30	31x25x40	103 Kg.	1.5 HP	15x15
50	36x37x40	130 Kg.	2 HP	21.5x22x15

44

Namkeen mixing



Body Full	: S.S. stainless Steel
Bowl	: S.S.
Rotor	: S.S.
Motor RPM	: 1440 Copper winding
Gear	: Verum (Crown prem.)
RPM Speed	: 45

Capacity Drum	Modal	LxBxH	weight	Motor
3-5kg Namkeen	1 Feet	30x22x46	46kg	0.5Hp
10kg Namkeen	1.50Feet	36x21x26	55kg	0.75Hp
20kg Namkeen	2 Feet	48x28x40	165kg	1Hp
50kg Namkeen	3 Feet	63x28x41	192kg	2Hp
100kg Namkeen	5 Feet	87x29x41	253kg	3Hp

45

Electric Kadai round



Body	: S.S.(304 kadai)
Temp	: 0-350 C
Size	: L19xB16xH18
Weight	: 11 Kg.
Capacity	: 7-8Ltr.
Watt	: 2000

46**Electric Kadai table top**

Modal	LxWxH	Weight	Capacity
16"	19x19x19	15 kg.	6 Ltr.
18"	22x22x19	17 kg.	8 Ltr.
20"	25x25x19	18 kg.	10 Ltr.
22"	27x27x19	21 kg.	15 Ltr.
24"	29x29x19	23 kg.	18 Ltr.
26"	31x31x19	26 kg.	20 Ltr.
28"	33x33x19	32 kg.	25 Ltr.

47

Electric Kadai



Body

: S.S.

Kadai

: S.S. 304

Temp

: 0 - 350 C

**Model****L x B x H****Weight****Oil Cap.**

8"

23x23x32

21 Kg.

6 Ltr.

20"

25x25x32

23 Kg.

10 Ltr.

24"

28x28x34

31 Kg.

20 Ltr.

26"

30x30x36

35 Kg.

24 Ltr.

30"

35x35x32

44 Kg.

28 Ltr.

34"

41x41x32

56 Kg.

30 Ltr.

48

Electric Kadai



Body ss. 202 / Kadai ss 304

Modal : 36in 60Ltr/ 38in 65Ltr

Phase : 3,phase / 9kw

Contractor : 32 Amp

Code wire : 6mm. 5 core wire

Rotary Switch : 1 pc

Kadai Size : 40x40x32 / 42x42x32

Round Kadai thickness 4mm.

49

Rectangular fryer Diesel operate



Deisile hour	: 2 to 2.5 Ltr. P/H.
Body /oil Capacity	: S.S. / 110 to 140 Ltr.
Oprate Deisile	: P/H 2 to 2.5 Ltr
Full Size /pan size	: 100x60x85 /22x46
Power Compo.	: 3.25 HP
Machine Type	: Fully Automatic
Kurkure & Frymus	: 250 Kg. / Hrs.
Potato Wafer	: 50 to 55 Kg. / Hrs.
Banana Wafer	: 50 to 55 Kg. / Hrs.
Moong Dal	: 100 to 120 Kg. / Hrs.
Chana Dal	: 120 to 150 Kg. / Hrs.

50

Dough Ball cutter



15gm to 50gm

Electric



10gm to 80gm

Air comparison



Body ss. : 202 1.5mm

Capacity P/H : 1000 - 2000 Ball

Boll Size : 10gm to 80gm

Weight : 50kg / 20kg

Motor 0.5hp : Crompton

Size : L26 × W16 × H30

Compressor : L25 × W12 × H22

Compressor : 0.5Hp/130 psi, 9 kg.
30kg

51

Flour Kneading with ball cutter



Body	: S.S
Size	: L45×W16×H30
Motor copper winding	: 1.5HP.
Kneading Capacity	: 10Kg.
Bowl size	: 2-3 kg.
Capacity P/H. Ball	: 1500-2000
Weight	: 83 kg.

52

Chapati pressing



Teflon plate



Ceramic plate



copper winding motor

Modal	: Teflon plate	: Ceramic plate
Capacity	: 1000 P/H.	: 1000 P/H.
Diameter	: 2" to 10"	: 2" to 8"
Thickness	: 1-4 mm	: 1-4 mm.
Motor Hp.	: 0.50 (4unit hr)	: 0.50 (4unit hr)
Size L,W,H	: 26×25×24	: 26×25×24
Weight	: 96Kg.	: 116 kg.

53**Automatic Roti machine**

Body : Full stainless Steel

Capacity : 500 Roti per hour

Roti size : 8 inch max..

ConverBelt : SS.304 (3-Layers)

Motor : 1HP copper winding

Size LxBxH: 44x21x43

Weight 126 kg.

54

Chapati pressing With puffer



Body	: S.S.
Motor	: 1HP. copper winding
Power Consu.	: 1.5 to 2 unit p/H.
Heater ceramic	: 1800+2000wt 2nos.
Thickness	: 3 to 9.5 & 1-6 mm
Capacity	: 800-1000 pcs. P/H.
Weight	: 95Kg.

55

Automatic Roti machine



Body / contact part ss.-202 / 304

Capacity p/h. : 600 roti 700 roti

Gas LPG-PNG : 1. to 1.75kg. hour

Thickness / Size : 1.2mm 5mm / 2in to 7in

Coating plate : Ceramic

power supply : 220 - 220V 1phase

Size : L65 × W23 × H54

Weight : 300 kg.

56

Automatic Roti machine (Deluxe modal)



Body / Under part : SS. 202 / 304

Capacity P/H 1000 nos. Ceramic plate (coating)

Gad consumption LPG-PNG P/H 2.25 - 2.75 kg

Thickness adjustable 1.2 mm to 4 mm

Roti baking 3 Layer technology

Roti size inch 2 to 8 adjustable

Gear Box Nmrv, helical 2 nos.(63:80:71 B5 /1:59)

Bearing (ucp 206)

Motor Crompton/ V-guard Any standard 2nos.

power supply 220 to 230 1 phase

Size L×W×H 73×24×55 inch / Weight 350 kg

Electric connection Load 5 HP.

56

Compact Roti maker machine



Body/ part	: Ss. 304
Gas-LPG,PNG	: 1. to 1.5kg hour
Thickness	: 1.2mm. - 5 mm
Size adjustable	: 2 inch - 8 inch
Capacity roti	: 200-600 Hour
Roti Baking	: 3 Layer technology
Power	: 220-230V 0.5hp
Coating plate	: Ceramic
Size / weight	: L35×w30×H55 / 294kg

57

Chapati roti machine



Body /contact part : S.S 202/ 304

Size : L75×W30×H55

Gas Connection : LPG / PNG 2.5 to 3kg. hour

Size Adjustable : 2in to 8 in

Ele. Motor : 1 HP SP. 0.50HP. SP.

Capacity : 1000 hour Roti

RPM Speed : 1440 copper winding

Weight : 400Kg.

Thickness adjustable : 1mm to 4mm

Coating plate : Tefloan / Ceramic

Ele. connectionLoad : 4 Hp.

Gas Burner : 5 nos.



CHAPATI MAKING MACHINE SQUIRE MODEL- 2000

SPECIFICATION

- PRODUCTION CAPACITY-2000 ROTI PER HOUR
- GAS CONSUMPTION -4-4.50 KG. PER HOUR
- POWER SUPPLY- (THREE PHASE) COIL 1500 WATT 4pics
- SIZE ADJUSTABLE DIAMETER-2"to 8" inch
- COATING PLAT – CERAMIC
- MOTOR 1HP.1pics /0.50HP.2pics (TOTAL 3pics- TP.MOTOR) RPM-1440 – MOTOR:-CROMPTON/GODREJ/V-GUARD COMPANY
- ANY STANDARD MAKE
- GAS CONNECTION – LPG/PNG / BURNER SIZE -9 IN.
- GEAR BOX – STANDARD MAKE
- THICKNESS ADJUSTABLE -1.2mm -4mm
- DRIVE –STANDARD MAKE
- ROTI MAKING –THREE LAYER TECHNOLOGY
- BEARING –STANDARD MAKE
- ELE.. CONNECTION LOAD-7.5HP/7UNIT/hr. ELE.. PART–STANDARDMAKE
- BODY JINDAL STEELNES STEEL MIRROR GLASS – S.S. 304
CONTACT PARTS –S.S. 304
- SIZE –(L x W x H) 71 in x 36 in x 54 in WEIGHT –610 KG.

59

Penultimate Dough Ball cutter



Body	: M.S.
Bowl	: S.S.
Bowl Capacity	: 3 Kg.
L x B x H	: 27 x 19 x 41 Inch
Compressor	: 1 HP

60

idli+Dhokli+ khaman



Body (idli) : s.s. stainless Steel

Tray : Aluminum

Tray Size : 14x18 Inch

Tray Capacity : 12 Nos. (Per Tray) Idli

Body (Dhokli) : S.S.

Tray : Aluminum

Tray Size : 14x18x1.25 Inch

Tray Capacity : 1.5 Kg. (Per Tray)

61

Dhokla machine



Body / (operate) : S.S. / Gas

Tray : Aluminum

Tray Size : 14x18x1.25 Inch

Tray Capacity : 1.5 Kg. (Per Tray)

Model	L x B x H	Weight
6 Tray	24x25x35	39 Kg.
8 Tray	24x25x39	45 Kg.
10 Tray	24x25x46	53 Kg.
12 Tray	24x25x47	60 Kg.

62

Idli machine



Body / (operate) : S.S. / Gas

Tray : Aluminum

Tray Size : 14x18 Inch

Tray Capacity : 12 Nos. (Per Tray)

Model	L x B x H	Weight
6 Tray	14x18	39 Kg.
8 Tray	14x18	45 Kg.
10 Tray	14x18	53 Kg.
12 Tray	14x18	60 Kg.

63

Nylon Khaman



Body / (operate) : S.S. / Gas

Tray (weight-1.5kg.) : Aluminum (mm.1.5)

Tray Size : 14x18x2.5 Inch

Tray Capacity : 2.5 Kg. (Per Tray)

Model	L x B x H	Weight
6 Tray	24x25x40	42 Kg.
8 Tray	24x25x47	47 Kg.
10 Tray	24x25x53	55 Kg.
12 Tray	24x25x60	63 Kg.

64

Wet Dal (Gili)

**1 Hp****2hp. wet**

Body : S.S. copper winding motor
 Hopper : S.S.

Size	6" Plate	8" Plate	11" Plate
Mc. Size	: 21x13x32	32x21x33	32x24x34
Weight	: 58 Kg.	83 Kg.	97 Kg.
Motor	: 1.5 HP	2 HP	3 HP
Capacity	: 40-60 Kg.	80-100 Kg.	120-140 Kg.

65

Wet Grinder

Regular



Bowl : S.S.
 Motor RPM : 1440
 Gear Box : Yes

Ltr.	L x B x H	Weight	Motor	Gear
02	22x15x26	46 kg	0.25 HP	Crown Pinion
03	23x16x32	62 kg	0.25 HP	Crown Pinion
05	30x19x36	111 kg	0.5 HP	Crown Pinion
07	32x21x37	129 kg	1 HP	Crown Pinion
10	33x22x40	170 Kg.	1 HP	Crown Pinion
15	36x25x43	210 Kg.	1.5 HP	Crown Pinion
20	39x28x46	245 Kg.	2 HP	Crown Pinion

Tilting



Body : S.S.
 Bowl : S.S.
 Motor RPM : 1440 copper winding
 Gear Box : Yes

Ltr.	L x B x H	Weight	Motor	Gear
05	30x19x36	91 kg	0.5 HP	
07	25x18x44	120 Kg.	0.5 HP	Crown Pinion
10	27x19x46	142 Kg.	1 HP	Crown Pinion
15	29x20x46	158 Kg.	1.5 HP	Crown Pinion
20	29x20x48	170 Kg.	2 HP	Crown Pinion

66

Round Grinder mixer



Body : S.S.

Cutter : S.S.

Motor RPM : 2880

copper winding motor

LTR.	L x B x H	Weight	Motor
03	9x9x19	11 Kg.	0.5 HP
05	11x11x24	27 Kg.	1.5 HP
10	11x14x30	36 Kg.	2.0 HP

67

Heavy Duty mixer (Square modal)



Body : S.S.

Cutter : S.S.

Motor RPM : 2880



LTR.	L x B x H	Weight	Motor
05	11x11x24	29 Kg.	1.5 HP
10	11x14x30	35 Kg.	2.0 HP
15	17x15x37	47 Kg.	3.0 HP

68

Tilting mixer



Body : S.S.

Cutter : S.S.

Motor RPM : 2880

copper winding

LTR.	L x B x H	Weight	Motor
05	22x16x37	31 Kg.	1.5 HP
10	22x16x41	35 Kg.	2.0 HP
15	24x17x50	51 Kg.	3.0 HP

69

V-Belt grinder machine



RPM-5600

Model Ltr. :	10,Ltr	: 15,Ltr.	: 20Ltr
Mixer Body :	Ss	: S.s	: S.s
Jar Body :	S.S.	: S.s	: S.s
Cutter :	S.S.	: S.s	: S.s
RPM Motor :	1440	: 1440	: 1440
Motor :	1HP	: 1.50H.P	: 2H.P
L x B x H :	24x12x24	: 2716x26	: 30x20x30
Weight :	46kg.	: 52kg.	: 62kg

70

instant masala grinder



Modal

Motor

weight

300Gm.

1500 w

5Kg.

500Gm.

2000 w

6Kg.

1000Gm.

3000 w

7Kg.

2000Gm.

4000 w

8Kg.

71

Gravy machine



- Body / Blade : S.S
 Rotor / Cutter : S.S.
 Jali : S.S. - 5 Nos.
 Motor copper winding : 2880 RPM



Model	L x B x H	Weight	Chamber
5" 1 HP (R)	19x13x19	28 Kg.	5"x3"
7" 2 HP (SD)	20x16x26	36 Kg.	7"x3"
7" 2 HP (SD)	20x16x26	36 Kg.	7"x3" Hammer
9" 3 HP (SD)	23x18x29	44 Kg.	9"x3"
9" 3 HP (SD)	23x18x29	44 Kg.	9"x3" Hammer
12" 5 HP (R)	23x17x33	70 Kg.	12"x4" 1,Phase
12" 5 HP (D)	23x17x33	70 Kg.	12"x4" 3,Phase
14" 7 HP (SD)	34x25x45	141 Kg.	14"x6" 3,Phase

72

Chatni machine



copper winding motor

Modal ----> 32 Number : 64 Number

Body : C.I. : C.I.

Rotor : C.I. : C.I.

Jali : S.S. : S.S.

L x B x | : 18x13x26 Inch : 25x18x35 Inch

Weight : 52 Kg. : 75 Kg.

Motor : 1 HP (Rpm-1440) : 2 HP (Rpm-1440)

Capacity P/H 100-150 kg : 250 -400 kg

73

Onion slicer



Body : S.S.

Rotor : Aluminum

copper winding motor

Model	L x B x H	Weight	Motor	Capacity
Reg.	25x13x22	39 Kg.	1 HP	150 Kg. / Hrs.
Big.	19x13x26	40 Kg.	1 HP	200 Kg. / Hrs.

74

Vegetables Chopping



Body	• Ss. stainless Steel
Motor	• 1 Hp Sp 1440-RPM
Size	• L24 × W 25 × H17
Weight	• 30 Kg.
Capacity	• 125-150kg.

75

Bowl chopper



Meat



onion



Body

: S.S.

Bowl Capacity 3-4 Kg. : S.S. 304 (14in)

Blade size : S.S. 2nos. (L5.75 inch)

L x B x H : 22x16x21 Inch

Weight : 55 Kg.



Ele. Motor : 1 HP copper winding

Capacity P/H. : 150-200 Kg. / Hrs.

Gear : Verum

76

Vegetables cutting

**1Hp****2Hp**

Body : S.S.

Motor RPM : 1440

copper winding motor

Jali : 8 Nos.

HP	L x B x H	Weight	Motor	Capacity
1	21x11x22	44 Kg.	1 HP	250 Kg. / Hrs.
1 (D)	21x11x33	46 Kg.	1 HP	250 Kg. / Hrs.
2	25x14x28	72 Kg.	2 HP	1000 Kg. / Hrs.

77

Cabbage cutter



Body	: S.S.
Size	: L25 × W19 × H35
Die Only 1	: Any of the 2 will come 1
Blade	: Slice and Shred
Ele. Motor	: 1 HP SP. copper winding
Capacity	: 150-200kg. P/H.
RPM Speed	:
Ampere	: 1.5
Weight	: 45 kg.

78

Vegetables Bhaji cutter



Body

: M.S.

Blade

: S.S.

REGULAR

L x B x H


: 15x15x15 Inch

Weight

: 6 Kg.

79

Onion blooming



ONION FLOWERING MACHINE


SIZE (L*W*H)

13x12x22

Weight

8Kg

80



Dimensions 28x18x18 in

Weight 600 gm.



Blade 30x100mm

Dimensions 10x14 in

weight 4kg

Blade 3 nos



Blade 30x100x1 mm

Thickness 2.5 to 4mm

Dimensions 18x21x37Cm

Weight 5kg



81

Vegetables kaduka



Motor : 1Hp  winding

Weight : 32 Kg.

Size : L18 ×W11×H25

Capacity : 100kg P/H.


82

Bhuka crusher machine

Ss.body vegetables kaduka



S.S



M.S



Body	: S.S.
Jali	: S.S.
L x B x H	: 15x16x32 Inch
Weight	: 40 Kg.
Motor	: 1 HP
CAPACITY P/H.	: 80-100 kg.

Ms.
31x19x28
55Kg.
1Hp. Sp.
150-200Kg

83

Garlic & peanut Breaker



0.50 HP



1 HP



0.50 Hp

12×18×21

Body M.S

Weight 32kg

Cap.40-50 kg

1Hp motor

L35×W20×H43

Body M.S.

Weight 79kg

Cap. 150-200kg

84

Garlic peeler



Body : S.S.

Motor copper winding : 0.25 HP

Size : 11x9x23

Weight : 15 Kg.

Capacity : 10 to 12 Kg. / Hrs.

85

Chilly cutter



Chilli Cutter

Hand
Chilli Cutter

Hand Chilli Cutter

Body : S.S. & M.S.

L x B x H : 17x11x22

Weight : 9 Kg.

Chilli Cutter Electric modal

Body : S.S.

Blade : S.S.

Jali : S.S. - 4 Nos.

Model	L x B x H	Weight	Capacity / Hr.
1HP	21x12x20	26 Kg.	80 - 100 Kg.
2HP	22x17x26	52 Kg.	120 - 150 Kg.

86

Coconut scrapper

Mini



L13×W11×H11
Weight 8kg
Motor 0.50hp



Body	: S.S. stainless Steel
Cutter	: S.S.
L x B x H	: 21x12x20
Weight	: 24 Kg.
Ele. Motor	: 1 HP copper winding
capacity	: 10-15 kg pr.
RPM Speed	: 960

87

Electric Pizza oven



Full Body : S.S.
 Coil : Standard
 Thermostat : Standard

Size	L x B x H	Weight	Coil	Nos'
8x12	12x22x15	14 Kg.	1000 Wt.	2
10x16	16x27x15	18 Kg.	1200 Wt.	4
12x18	18x29x15	24 Kg.	1500 Wt.	6
18x18	25x29x15	29 Kg.	2500 Wt.	8
18x24	25x37x15	35 Kg.	2500 Wt.	10
24x24	31x37x15	40 Kg.	3500 Wt.	12

88

Gas pizza oven



Description	SIZE (L*W*H)	WEIGHT (KG)	CAPACITY
10" * 16" INNER	23X16X20	25	4-pizza
12" * 18" INNER	27X24X25	33	6-pizza
18" * 18" INNER	29X24X26	43	8-pizza
18" * 24" INNER	29X25X27	56	10-pizza
24" * 24" INNER	31X25X28	59	12-pizza

89

Dack oven Electric/gas



DESCRIPTION

1 DECK 2 TRAY ELECTRIC

1 DECK 2 TRAY GAS

2 DECK 4 TRAY ELECTRIC

2 DECK 4 TRAY GAS

90

Rotary oven machine



Body	: s.s. stainless Steel
Motor	: 1.5 & 1 HP copper winding
Capacity	: 8 Tray / 10 Tray / 12 Tray
Tray Size	: 18x13.5 + 3.75
Oven Size	: 72x40x73
Wt.	: 900 Kg.
Fuel Type	: Diesel / Gas / Wood / Pellet
per hour Ltr	: 2-4 / 1.5-3

91


Bread cutter machine



Body	: M.S.
Motor	: 1 HP
Machine Size	: 65x34x43
Blade	: S.S.
Cutting Size	: Adjustable
Weight	: 130 Kg.

92

Bread Cutter



Body	: S.S. Stainless Steel
Motor	: 0.5 HP copper winding
R.P.M.	: 2280
Size	: 20x32x17
Weight	: 46 Kg.

93

Sandwich griller



Single



Double



Full Body

: S.S. stainless Steel

Coil

: Standard

Thermostat

: Standard

Model	L x B x H	Weight	Coil	Capacity
Single	18x13x12	9 Kg.	1500 Wt.	4 Nos.
Double	20x27x13	21 Kg.	3500 Wt.	8 Nos.

94

Deep fryer machine



Regular



Table Top

Body	: S.S. stainless Steel
Coil	: Standard
Thermostat	: Standard

Only 5Ltr 2in1 system

Model	L x B x H	Weight	Oil Cap.
Regular	27x12x16	10 Kg.	5 Ltr.
T. Top	27x12x36	13 Kg.	5 Ltr.
Double	27x24x15	18 Kg.	5 Ltr.
Double T. Top	28x24x36	22 Kg.	5 Ltr.
Regular	28x14x18	15 Kg.	13 Ltr.
T. Top	29x16x31	20 Kg.	13 Ltr.
Double	29x32x21	30 Kg.	13 Ltr.
Double T. Top	29x32x39	35 Kg.	13 Ltr.

95

Bread toaster



96

Mendu vada



Capacity P/H	: 400 to 700 nos
Motor	: 40 W induction
Size in inch	: 19×11×24
Weight	: 28kg
Machine hight	: Adjustable
Vada Weight	: 20gm to 60 gm

97

Popcorn machine



Body : S.S.

Electric System : Standard

250 Gms. Electric Model

Size : 15x22x29

Weight : 20 Kg.

300 Gms. Gas Model

Size : 22x20x38

Weight : 31 Kg.

98

Popcorn machine



Gas operate

Body -Bowl : **SS. stainless Steel**

Motor : 0.25HP. Dc motor
With Drive card

Size : L36×W28×H41

Weight : 82kg.

CapaCity P/B : 1.5 to 2 kg. Batch

99

Coating pan Roasting



Body : S.S.

Drum (Tilting modal): S.S. 304

Gear : Verum

Motor RPM : 1440 (Rpm 45)

Adjustable Extra Gas burner fitting

Bowl size	Motor	L*W*H	Weight	Capacity P/H.
-----------	-------	-------	--------	---------------

18 × 18	0.50HP	41×23×37	68kg	15–20kg
---------	--------	----------	------	---------

24×24	0.75HP	49×34×56	93kg	25–30kg
-------	--------	----------	------	---------

30×40	1 HP	79×31×56	214kg	40–45kg
-------	------	----------	-------	---------

100

Roasting machine



Full Body : 40x52x58 Stainless Steel

Bowl : 21x21x25 SS.

Body Full : S.S. stainless Steel

Gas Burner : 1 Nos. 12 Inch

Motor : 1 HP copper winding

Motor R.P.M. : 1440

Bowl R.P.M. : 48

Weight : 200 Kg.

Capacity : 15 to 20 Kg. / Batch

Gear Greece 400 Gm. : Verem Gear

101

Semi Papad machine



Body	: S.S.
Motor	: 0.5 HP copper winding
Size	: 27x30x18
Weight	: 65 Kg.
Capacity	: 55-60 Kg. / Day

**Fw-1104****Fw-1105****Fw-1604****Fw-604****Fw-794****Fw-1004****Fw-1804**

103

Food waram, puff oven insect killer



Food waram



puff oven



Insect killer

Food warmer 3 tray

Size L26xW18xH23

puff oven (warmer)

Weight

Size LxWxH

Small 600 watt

7.5 kg.

17x12x17

Big 600 watt

10.5kg.

21x12x18

104

Soup pot, Hot pot Tea thermos



Soup pot



Hot pot

5, 7.5, 10, 15, 20,
25, 30, Ltr. Modal



Tea thermos

2.5, 5, 7.5, 10, 15
20, 25, 30, Ltr modal



Small



Big



SMALL Modal

Body : C.I.

Color : Powder Coating (Red & White)

L x B x H : 8x6x6 Inch

Weight : 1.5 Kg.

BIG Modal

Body : C.I.

Color : Powder Coating (Red & White)

L x B x H : 8x7x9 Inch

Weight : 5 Kg.

Weight : 5 Kg.

106

Small dry fruit chips



Body	: S.S. stainless Steel
L x B x H	: 11x10x18 Inch
Weight	: 16 Kg.
Ele. Motor	: 0.25 HP
Motor	
Motor RPM	: 1440
RPM Speed	: 400

107

Dry fruit tukda



Body	: S.S. stainless Steel
L x B x H	: 17x12x24 Inch
Weight	: 38 Kg.
Ele. Motor	: 1 HP copper winding
Gear Box	: Verum
Capacity	: 10-20;kg P/H
Jali	: 4 Nos.
Motor RPM	: 1440
RPM Speed	: 200

108

Dry fruit chips / powder



Body	: S.S. stainless Steel
L x B x H	: 22x13x20 Inch
Weight	: 28 Kg.
Ele. Motor	: 1 HP copper winding
Capacity	: 20-30 kg P/H.
Die	: 2 Nos.
Motor RPM	: 1440
RPM Speed	: 960

109

Dry fruit powder



Body	: S.S. stainless Steel
Motor copper winding	: 1.5 HP Three Phase
Size	: 13x13x21
Weight	: 43 Kg.
Capacity	: 200-250 Kg. / Hrs.
Zali	: 2mm

110

Hammer pulverizer



Model	Capacity	L x B x H	Wt.	Motor
2 HP	15-20kg	54x45x43	56 Kg.	-
2 HP With Motor		54x45x43	88 Kg.	2 HP
3 HP	30-40kg	56x47x45	71 Kg.	-
3 HP With Motor		56x47x45	120 Kg.	3 HP
5 HP	40-50kg	60x50x48	114 Kg.	-
5 HP With Motor		60x50x48	150 Kg.	5 HP
10 HP	80-90kg	60x56x60	155 Kg.	-
10 HP With Motor		60x56x60	185 Kg.	10 HP

111

pulverizer machine



2IN1 PULVERIZER MACHINE (FULLY AUTOMATIC) S.S. BODY

Description	SIZE (L*W*H)	Motor HP	Weight	Capacity
1HP (8X4)	20X11X32	1HP (2880 RPM)	33Kg	7-9Kg
2HP (10X4)	20.5X11.5X37	2HP (2880 RPM)	45Kg	12-15Kg
3HP (10X5) Light Motor	22.5X13X42.5	3HP (2880 RPM)	52Kg	20-22Kg
3HP (10X5) Heavy Motor	22.5X13X42.5	3HP (2880 RPM)	59Kg	22-25Kg

2IN1 PULVERIZER MACHINE (SEMI AUTOMATIC) S.S. BODY

Description	SIZE (L*W*H)	Motor HP	Weight	Capacity
2HP (10X4)	20.5X11.5X34	2HP (2880 RPM)	44Kg	12-15Kg
3HP (10X5) Light Motor	22.5X13X37	3HP (2880 RPM)	49Kg	20-22Kg
3HP (10X5) Heavy Motor	22.5X13X37	3HP (2880 RPM)	56Kg	22-25Kg



Body : S.S.

copper winding motor

Model	Motor	Size	Wt.	Capacity
Round	1 HP	13x9x22	24 Kg.	5-6 Kg.
Round	1.25 HP	13x10x24	26 Kg.	7-8 Kg.
Square	1 HP	13x10x24	29 Kg.	5-6 Kg.
Square	1.25 HP	14x11x24	27 Kg.	7-8 Kg.
Square	1.5 HP	16x12x26	30 Kg.	10-12 Kg.

113

M.S Body pulverizer without motor



Body / Blade	: ms
Rotor / Cutter	: S.S.
Jali	: S.S. - 5 Nos.
Motor Company	: Flipcon 2880 RPM

Model	L x B x H	Wt.	Chamber	capacity
8"	3Hp 23x16x33	53 Kg.	8x4	15-20kg.
10"	3Hp 23x29x34	58 Kg.	10x4	25-30kg.
12"	5Hp 33x16x40	70 Kg.	12x4	40-50kg.
14"	50x22x57	138kg.	14x7	70-80kg.

114

Flour Mill

out-flow



Body	: Wooden - Plywood
Circuit	: Standard
Chamber	: Aluminum Grinding
Bitter	: S.S.
Color	: Morpech / Stone / Red Flowe
Motor Company	: Flipcon (Brand)

	L x B x H	Weight	Motor	Cap.
1 HP	18x13x33	42 Kg.	1 HP	5-7 Kg.
2 HP	19x15x34	50 Kg.	2 HP	10-12 Kg.

115

Vibro shifter



Jali 1.5mm.

copper winding motor

Body / Drum 304 : S.S. Base : M.S.

Jali / Sieve Qty. : Up to 3

(2 zali Extra Chargeable)

Modal -->	2 Feet	3 Feet	4 Feet
Size	: 34x25x28	49x36x32	58x48x34
Weight	: 100 Kg.	150 Kg.	350 Kg.
Motor	: 0.5 HP	1 HP	2 HP
Phase	: 3 Phase	3 Phase	3 Phase
Capacity	: 100-150 Kg.	200-250 Kg.	500-700 Kg.
Jali/Sieve	: 2 Feet	3 Feet	4 Feet

116

Mixing machine

Powder & Masala



Full Body	:	S.S. 304
Rotor	:	S.S. 304
Motor RPM	:	1440 <small>copper winding</small>
Gear Crown prem.	:	

Modal	Drum Capacity	LxBxH	Motor	Weight
2 Feet	15-20 kg	38x28x48	1.5 HP	192 kg
3 Feet	40-50 kg	62x28x48	2 HP	255 kg
5 Feet	80-100 kg	86x28x48	3 HP	375 kg

117

Dough Kneader with Dough sheeter machine



Body

• S.s

Size

• Lx44xW19xH30

motor copper winding

• 1.50HP.

Sheet thickness

• 12mm.

Sheet width

• 8"

Weight

• 94kg.

118

Dough sheeter



Body

• S.S.

Size

• L27×W19×H30

Motor

• 1.50HP.

Sheet width

• 8"

Sheet thickness

• 12 mm.

Weight

• 72kg.

119

Dough sheeter



Body

- S.s

Size

- L37×W18×H25

motor

- 1HP. copper winding

Roller

- 18"

Thickness

- Adjustable

Weight

- 73kg

120

Diesel bhathi



Small Casting body

Body : M.S.

Burner : 200 mm

Blower : 0.5 HP

Weight : 58 Kg.

L x B x H : 48x14x28 Inch

Big Casting body

Body : M.S.

Burner : 250 mm

Blower : 0.75 HP

Weight : 68 Kg.

L x B x H : 62x17x28 Inch

Body : **Stainless Steel**

Burner : **280mm size** Deisle tanki 20Ltr

Blower : **35 number** 0.5HP Blower motor

Weight : **62kg**

L x B x H : **50×16×31**

Dome : **15×15 Size**

121


Tandoor bhathi



Ms.Body



S.S.Body



DESCRIPTION

200 LTR. MS ROUND TANDOOR

30X30 SQUARE STEEL TANDOOR

32X32 SQUARE STEEL TANDOOR

34X34 SQUARE STEEL TANDOOR

36X36 SQUARE STEEL TANDOOR

122

Oil maker machine


400
Watt



1200
watt



2000
watt



Body : S.S. 304

Rotor : S.S. 304

Modal	HP	L×W×H	Weight	Capacity P/H
400watt	0.25	20×8×10	14 kg	2-5 kg
1200wt	1	25×9×24	41 kg	8-10 kg
2000wt	1.14	41×22×29	163 kg	25-30 kg

123

Gerber crusher



Body	: S.S. stainless Steel
Motor	: 1.5 HP copper winding
Motor Brand	: (Own Brand)
L x B x H	: 22x32x17
Wt.	: 50 Kg.
Capacity	: 150-200 Kg./Hrs.

124

Animal feed plate



Body	: C.I.
Stand	: M.S.
Gear	: Crown Premium
Die Size	: 4-10 mm
Rpm-1440	Die size 4-10mm

Model	Size	Palate	Wt.	Capacity
3 HP Sp.	32x12x24	4"inch	92 Kg.	100-130 Kg.
5 HP Tp	38x12x26	6"inch	120 Kg.	150-180 Kg.
7.5 HP Tp	42x12x29	8"inch	135 Kg.	200-300 Kg.

125

ICE GOLA MACHINE



Home use



Body : M.S.

Motor :



With Motor copper winding

L x B x H : 20x16x31

Motor : 0.25 HP

Wt. : 39Kg.

Without Motor

L x B x H : 11x16x26

Wt. : 19 Kg.

126

Ice tukda machine



Body	: M.S.
Motor Company	:
RPM Speed	: 960



Small Model	copper winding
--------------------	----------------

Motor	: 0.5 HP
Size	: 17x15x30
Wt.	: 36 Kg.

Big Model	
------------------	--

Motor	: 1 HP copper winding
Size	: 18x16x32
Wt.	: 42 Kg.

127

Water Cooler machine



Body : S.S.

Tank Capacity

Tap

Size

10 Ltr. :

1 Tap

14x14x22

20 Ltr. :

1 Tap

14x14x39

30 Ltr. :

1 Tap

15x15x41

40 Ltr. :

2 Tap

18x17x45

60 Ltr. :

2 Tap

18x17x50

80 Ltr. :

2 Tap

22x18x51

100 Ltr. :

2 Tap

25x18x52

150 Ltr. :

3 Tap

32x19x55

200 Ltr. :

3 Tap

33x20x64

As a cooler

Milk and dairy products



Beverages



Dry fruits and pulses

As a freezer

Meat & Fish



Ice cream



Frozen food

Temperature	Insulation	Refrigerant	Voltage
23c to +8'c	90mm. High Density puf cfc	R-134a R-290a	190-234V 1Phase 50Hz

Model	Capacity Ltr.	No.of Baskets	Size mm. HxWxD	Doors
250suc	209	1	900x850x735	1
350sd	315	1	900x1145x735	1/2
450Ddu	416	1	900x1425x735	2
550Ddu	523	2	900x1720x735	2
910Uc	805	0	960x1848x857	3

129

Rice mill machine



Single



Combo

Model	→	Single	Combo
Body	:	Ms.	Ms.
Motor	:	3HP.	3HP.
Size	:	29×16×30	50×17×44
Weight	:	55	75Kg.
Capacity P/H.	:	60-79Kg.	100-120Kg.

130

Chapati puffer



plate 10mm

Modal**Size L×W×H****Weight****Burner**

36×18×12

40×20×12

43kg.

36×18×32

40×20×32

50kg.

48×24×12

52×26×12

78kg.

48×24×32

52×26×32

91kg.

24×18×15

25×19×15

38kg.

24×18×33

25×19×33

131

Dosa puffer



Body:S.S / plate 8 mm.

Model	with std.	Wt.	Burner
--------------	------------------	------------	---------------

18x36x12	18x36x32	52-59	3
----------	----------	-------	---

24x48x12	24x48x32	83-95	4
----------	----------	-------	---

	18x24x32	46	2
--	----------	----	---

132

Bain Marie



Body : S.S. stainless Steel

Capacity : 8 to 9 Kg.

4 Bowl : With / Without Stand

6 Bowl : With / Without Stand

8 Bowl : With / Without Stand

10 Bowl : With / Without Stand

12 Bowl : With / Without Stand

14 Bowl : With / Without Stand

Bowl Size Round : 8x9

Bowl Size Square : 6x12

Bowl Square Big : 12x20

133

Chinese Gas range



Body : S.S. stainless Steel

Chinese & Indian burner available

Model	Size	Wt.
1 Burner	21x23x36	35 Kg.
2 Burner	26x45x36	53 Kg.
3 Burner	26x72x36	83 Kg.

134

S.S chula Round Square



Body : S.S. stainless Steel

Burner : C.I.

Model	Size-1	Size-2	Size-3	Size-4
Round	10"x10"	12"x12"	15"x15"	-
Weight	4 Kg.	5 Kg.	7.5 Kg.	-
Square	10"x10"	12"x12"	15"x15"	18"x18"
Weight	3.2 Kg.	3.5 Kg.	5.5 Kg.	10 Kg.

135

Masala peti



Body

: S.S. stainless Steel

Model	L x B x H	Bowl Size
6 Box	16x11x4	500 gm
9 Box	16x16x4	500 gm
12 Box	21x16x4	500 gm
6 Box	16x11x6	1 Kg.
9 Box	16x16x6	1 Kg.
12 Box	21x16x6	1 Kg.

136

kitchen equipment



Modal	Size in. L×W×H
1 Under self	46×24×32
2 Under self	46×24×32
1 Under self	60×24×32
2 Under self	60×24×32
1 Under self	72×24×32
2 Under self	72×24×32



	Modal	Size	Weight
Service	Single	24×25×37	17kg
	Two	46×25×37	28kg
	Three	69×25×37	39kg



Trolley

137

Tray/Dish/Glass/Cup packing



Glass (Cup)packing

Tray(Dish)packing

Modal ---> Single Double

Body Stainless Stainless

Size in 19×10×12 21+11+12

Coil 300 watt 500 watt

Weight 11 kg 14 kg

Body : S.S.✓

Size :24×16×14

Coil: 700watt

Weight:24kg

Container:5&8

Die : 2

138

Band sealer machine



BAND SEALER MACHINE WITH NITROGEN FLUSHING



Body

• Ms. (P. coating)

Size

• 33×15×12.5

capacity

• 0-500 pouch P/H

Temperature

• 0-300 Degree°c

Weight

• 33Kg.

Conveyor size

• 840×15mm.

packing size

• 15gm to 3kg

TWO HEAD WEIGHER HALF PNEUMATIC F.F.S. MACHINE



Technical Specification

Packing Range	: 1. (10gm to 50gm) 2. (100gm to 250gm)
Filling System	: Two Head Weigher
Type of Sealing	: Center Seal
Packing Material	: Fryums, Kurkure, Puffs, Powder, Namkeen, Grains Etc.
Film Size	: 100mm-400mm width x 100mm-250mm length
Film Roll Size	: OD 250 to 400mm max. ID Film Reel Pipe 75mm min
Film Roll Type	: Laminated film in roll supported film E.g. Aluminum Foil Pe, PP
Speed	: 12 to 20bag/min (Varies with the nature of product & Filling range)
Power	: 2.5 KW 230V / AC / Single Phase/ 50 Hz
Optional	: Nitrogen, Batch Coding Device, Batch Cutting Device
Wooden Case	: 1300mm x 1000mm x 1000mm (H x W x L)
Machine Size	: 1050mm x 990mm 1900(L x W x H)
Weight	: 450kg (Approx)



FOUR HEAD HALF PNEUMATIC MACHINE



Technical Specification

Packing Range	: 1. (10gm TO 50gm) 2. (100gm TO 250gm)
Filling System	: Four Head Weigher
Type of Sealing	: Center Seal
Packing Material	: Fryums, Kurkure, Puffs, Powder, Namkeen, Grains Etc.
Film Size	: 100mm-400mm Width X 100mm-250mm Length
Film Roll Size	: OD 250 TO 400mm Max. Id Film Reel Pipe 75mm Min
Film Roll Type	: Laminated Film In Roll Supported Film Eg. Aluminium Foil Pe. pp
Speed	: 0-24 Bag/min (varies With The Nature Of Product & Filling Range)
Machine Size	: 1050mm X 990mm X 2500mm (L X W X H)
Weight	: 550kg (Approx..)



140

packing machine



TWO HEAD WEIGHER FULLY PNEUMATIC (COLLER TYPE)



Technical Specification

Packing Range	: 1. (10 GM TO 50 GM) 2. (100GM TO 500GM)
Filling System	: Two Head Weigher
Type of Sealing	: Center Seal
Packing Material	: Fryums, Kurkure, Puffs, Namkeen, Grains Etc
Film Size	: 100mm-400mm width x 100mm-250mm length
Film Roll Size	: OD 250 to 400mm max. ID film reel pipe 75mm min
Film Roll Type	: Laminated film in roll supported film E.g. Aluminum Foil Pe, PP
Speed	: 10 to 17 bag/min (Varies with the nature of product & Filling range)
Machine Size	: 1200mm x 1400mm x 2500mm(L x W x H)
Weight	: 650kg (Approx)



FOUR HEAD WEIGHER FULLY PNEUMATIC (COLLER TYPE)

Technical Specification

Packing Range	: 10gm to 1kg. Heavy- up to 5kg.
Filling System	: 4 Head
Filling Accuracy	: - / + 0.1%
Type of Sealing	: Centre Seal
Packing Material	: Kurkure, Puffs, Namkeen, Grains Ets.
Film Size	: 100mm-450mm width x 100mm-200mm length
Film Roll Type	: Laminated Film in Roll Supported Film E.g. Aluminum Foil Pe
Speed	: 20 to 25 bag/min (Varies with the nature of product & filling range)
Power	: 3kw 230v / AC / Single Phase / 50hz
Machine Size	: 72" x 85" x 126
Weight	: 700kg (Approx)
Compressed Air	: 6 CFM @ 6 bar
Optional	: Batch Coding Device



FULLY PNEUMATIC CUP FILLER COLLER TYPE HEAVY MODEL

Technical Specification

Packing Range	: 1. 100 GM to 500 GM 2. 500 GM to 1 KG
Filling System	: Volumetric Cup Filler
Filling Accuracy	: +/- 1%
Type of Sealing	: Center Seal
Speed	: 30 To 60 Bag/Min (Varies with the Nature of product & Filling Range)
Power	: 3 KW 230 V/ AC/SINGLE Phase/50 HZ
Weight	: 575 KG
Compressed Air	: 6-7 Bar
Optional	: Batch Coding Device

Application:

To Pack Tea, Sugar, Rice, Fryums, Snacks, Namkeen, Peanut, Granules, Pulses, Etc...



MECHANICAL F.F.S. CUP FILLER MACHINE

The Machine Operate on the Principle of Volumetric Cups with a Provision of Volume Adjustment. On Volumetric From Fill and Sealing Machine are Ideal for Filling Dry, Free Flowing Products Like Detergent Powder, Sugar, Salt, Tea Dust, Bhujiya, Whole Spice, Rice, Pulses Etc.

Technical Specification

Capacity	: 25gm - 50gm, 50gm - 100gm, 250gm - 500gm
Filling System	: Cup Filler
Filling Accuracy	: +/-0.1%
Sealing Type	: Center Seal or Four Sides, Three Side Seal
Packing Material	: Laminated Film
Film Size	: 160mm-350mm Width 140mm-290mm Length
Speed Capacity	: 35 to 60 Pouch per minute
Dimension	: 780 x 650 x 1950mm (L x W x H)
Power Consumption	: 1/2HP Motor, 220V, 50Hz, Single Phase
Optional	: Batch Coding Device
Net Wight	: 325kg. Approx



Technical Specification

Packing Range	: 10gm to 1kg
Filling System	: (Multi Head Weigher) 10 Head weigh Filler / 14 Head weigh Filler
Filling Accuracy	: 0.5%
Type of Sealing	: Center Seal
Packing Material	: Kurkure, Puffs, Potato Chips, Namkeen, Grains Etc.
Film Size	: 100mm-550mm width x 100mm-350mm length
Film Roll Type	: Laminated Film, Aluminum Foil (Min. Two Layer)
Speed	: 55 to 60 bag/min, 85 to 90 bag/min (Varies with the nature of Product & filling range)
Power	: 3kw 230v / AC / Single Phase / 50hz
Machine Size	: 72" x 96" x 126"
Weight	: 1400kg (Approx)
Compressed Air	: 6 CFM @ 6 bar
Optional	: Batch Coding Device

KSR & Co.

Mr K. V. Rao :

+91- 9136623696, 7977198134, 9136204802.

Kanishka Chandiramani :

+91- 9168290293

Off :

**A/401, Samarth Krupa Society, Gymkhana
Road, Sagarli, Dombivli East - 421 201, Thane
Maharashtra, India**

Email :

ksrco1949@gmail.com

Website :

ksrexporters.com